

### **AMENDMENT TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) In a decision support system, a system for accessing data comprising:

- (a) means for generating drill-through paths, each drill-through path comprising at least one relationship, each relationship comprising a parameter mapping between a source and a target;
- (b) means for accepting a request from a user;
- (c) means for translating the request into selection of a drill-through path from a plurality of possible drill-through paths between the source and the target;
- (d) means for requesting data using the selected drill-through path; and
- (e) display means for displaying the requested data to the user.

2. (Previously Presented) A computer-based method for obtaining data from one or more compatible data sources for use within applications implementing a decision support system, the method comprising the steps of:

- (a) modeling a mapping of data between a source and a target to produce one or more possible drill-through paths between the source and the target, each drill-through path comprising at least one relationship, each relationship comprising a parameter mapping between the source and the target;
- (b) accepting a request from a user for data;

- (c) translating the request into selection of a drill-through path from the possible drill-through paths between the source and the target;
- (d) applying one or more parameters to the relationships in the selected drill-through path to produce a valid parameter mapping;
- (e) transferring the requested data over the valid parameter mapping to an application; and
- (f) displaying the requested data to a user.

3. - 4. (Cancelled)

5. (Currently Amended) The method of claim 2 wherein the translating step includes the steps of:

- (a) creating a list of parameters from the source and the target;
- (b) determining, for each source parameter, the parameter mapping that maps the parameter to the target;
- (c) collecting the parameter mappings as a single drill-through path;

if more than one parameter ~~mapping points~~ mappings point to the same target parameter then

- (d) duplicating the parameter mapping one for each duplicate target path, thereby avoiding conflicts in forming a filter until all the parameter mappings for each drill-through path point to unique target parameters.

6. (Original) The method of claim 5 wherein the source and the target are each of types which are selected from a group consisting of report and model.

7. (Original) The method of claim 5 wherein the source is of a type selected from a group consisting of report and model and the target is a cube derived from a dimension map using a transformation tool.

8. (Original) The method of claim 5 wherein the drill-through path is defined by Uniform Resource Locator (URL).

9. (Original) The method of claim 5 wherein the drill-through path is defined by an HTML FORM.

10. (Previously Presented) A computer-based system for obtaining data from one or more compatible data sources for use within applications implementing a decision support system, the system comprising:

(a) means for modeling a mapping of data between a source and a target to produce one or more possible drill-through paths between the source and the target, each of the one or more possible drill-through paths comprising at least one relationship, each relationship comprising a parameter mapping between a source and a target;

(b) means for accepting a request from a user for data;

(c) means for translating the request into selection of a drill-through path from the possible drill-through paths between the source and the target;

(d) means for applying one or more parameters to the relationships in the selected drill-through path to produce a valid parameter mapping;

(e) means for transferring the requested data over the valid parameter mapping to an application; and

(f) display means for displaying the requested data to a user.

11. (Previously Presented) The system of claim 10 wherein the means for translating further comprises:

(a) means for creating a list of parameters from the source and the target;

(b) means for determining, for each source parameter, the parameter mapping that maps the parameter to the target;

(c) means for collecting the parameter mappings as a single drill-through path; and

(d) means for duplicating the parameter mappings one for each duplicate target path to avoid conflicts in forming a filter.

12. (Original) The system of claim 10 wherein the source and the target are each of types which are selected from a group consisting of report and model.

13. (Original) The system of claim 10 wherein the source is of a type selected from a group consisting of report and model and the target is a cube derived from a dimension map using a transformation tool.

14.(Original) The system of claim 10 wherein the drill-through path is defined by a Uniform Resource Locator (URL).

15.(Original) The system of claim 10 wherein the drill-through path is defined by an HTML FORM template.

16.(Cancelled)

17. (Previously Presented) Computer executable software code stored on a computer readable medium, the code for obtaining data from one or more compatible data sources for use within applications implementing a decision support system, the code comprising:

(a) code for modeling a mapping of data between a source and a target to produce one or more possible drill-through paths between the source and the target, each of the possible drill-through paths containing at least one relationship, each relationship comprising a parameter mapping between the source and the target;

(b) code for accepting a request from a user for data;

- (c) code for translating the request into selection of a drill-through path from the possible drill-through paths between the source and the target ;
- (d) code for applying one or more parameters to the relationships in the selected drill-through path to produce a valid parameter mapping;
- (e) code for transferring the requested data over the valid parameter mapping an application; and
- (f) code for displaying the requested data to a user.

18. (Previously Presented) The system of claim 1 further comprising:

means for including one or more than one parameter placeholder in at least one of the relationships; and

means for replacing the one or more than one parameter placeholder in the relationships by user supplied parameters to produce one or more valid drill-through paths.

19. (Previously Presented) The method of claim 2 comprising the step of including, within one or more drill-through paths, relationships having one or more parameters.

20. (Previously Presented) The method of claim 2 comprising the step of including, within one or more drill-through paths, relationships wherein at least the source is defined using meta-data contained in a meta-data model.

21. (Currently Amended) The ~~system~~ method of claim 2 further comprising the steps of:

including one or more than one parameter placeholder in at least one of the relationships; and

replacing the one or more than one parameter placeholder in the relationships by user supplied parameters to produce one or more valid drill-through paths.

22. (Currently Amended) The ~~computer-based~~ computer-based system of claim 10 further comprising:

means for including one or more than one parameter placeholder in at least one of the relationships; and

means for replacing the one or more than one parameter placeholder in the relationships by user supplied parameters to produce one or more valid drill-through paths.

23. (Previously Presented) Computer executable software code of claim 17 further comprising:

code for including one or more than one parameter placeholder in at least one of the relationships; and

code for replacing the one or more than one parameter placeholder in the relationships by user supplied parameters to produce one or more valid drill-through paths.

24. (Currently Amended) The ~~computer-based method~~ computer-based system of claim 10 further comprising means for including, within one or more drill-through paths, relationships having one or more parameters.

25. (Previously Presented) Computer executable software code of claim 17 further comprising code for including, within one or more drill-through paths, relationships having one or more parameters.

26. (Currently Amended) The ~~computer-based method~~ computer-based system of claim 10 further comprising means for including, within one or more drill-through paths, relationships wherein at least the source is defined using meta-data contained in a meta-data model.

27. (Previously Presented) Computer executable software code of claim 17 further comprising code for including, within one or more drill-through paths,

relationships wherein at least the source is defined using meta-data contained in a meta-data model.

28. (Previously Presented) The system of claim 1 further comprising means for converting data during a drill-through operation.

29. (Currently Amended) The ~~computer-based system~~ computer-based method of claim 2 wherein at least one relationship includes a parameter mapping between the source and the target and data conversion functions.

30. (Currently Amended) The ~~computer-based method~~ computer-based system of claim 10 further comprising means for converting data during a drill-through operation.

31. (Previously Presented) Computer executable software code of claim 17 further comprising code for converting data during a drill-through operation.